



<u>Certificate of non-use of REACH Directive 224 Substances of Very High</u> <u>Concern (SVHC)</u>

We hereby certify the products supplied to your company - to the best of our knowledge, conforms to the criterion of EC 1907/2006 REACH directive in connection with 224 substances of very high concern as follows: <u>Prohibit substances</u>

- 1. Triethly arsenate < 0.1%
- 2. Anthracene < 0.1%
- 3. 4,4'- Diaminodiphenylmethane(MDA) < 0.1%
- 4. Dibutyl phthalate(DBP) < 0.1%
- 5. Cobalt dichromate < 0.1%
- 6. Diarsenic pentraoxide < 0.1%
- 7. Diarsenic trioxide < 0.1%
- 8. Sodium dichromate < 0.1%
- 9. 5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene) < 0.1%
- 10. Bis (2-ethylhexyl)phthalate (DEHP) < 0.1%
- 11. Hexabromocyclododecane (HBCDD) and all major diastereoisomersidentified: Alpha-hexabromocyclododecane < 0.1% Beta-hexabromocyclododecane < 0.1% Gamma-hexabromocyclododecane < 0.1%
- 12. Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) < 0.1%
- 13. Bis(tributyltin)oxide (TBTO) < 0.1%
- 14. Lead hydrogen arsenate < 0.1%
- 15. Benzyl butyl phthalate (BBP) < 0.1%
- 16. Anthracene oil < 0.1%
- 17. Anthracene oil, anthracene paste, distn. lights < 0.1%
- 18. Anthracene oil, anthracene paste, anthracene fraction < 0.1%
- 19. Anthracene oil, anthracene-low<0.1%
- 20. Anthracene oil, anthracene paste < 0.1%
- 21. Pitch, coal tar, high temp. < 0.1%
- 22. 2,4-Dinitrotoluene < 0.1%
- 23. Diisobutyl phthalate < 0.1%
- 24. Lead chromate < 0.1%
- 25. Lead sulfochromate yellow (C.I. Pigment Yellow 34) < 0.1%
- 26. Lead chromate molybdate sulphate red (C.I. Pigment Red 104) < 0.1%
- 27. Tris(2-chloroethyl)phosphate < 0.1%
- 28. Ammonium dichromate < 0.1%

- 29. Disodium tetraborate, anhydrous < 0.1%
- 30. Boric acid < 0.1%
- 31. Potassium chromate < 0.1%
- 32. Sodium chromate < 0.1%
- 33. Tetraboron disodium heptaoxide, hydrate < 0.1%
- 34. Trichloroethylene < 0.1%
- 35. Potassium dichromate < 0.1%
- 36. Acrylamide < 0.1%
- **37.** Cobalt(II) carbonate < 0.1%
- 38. Cobalt(II) diacetate < 0.1%
- **39.** Cobalt(II) dinitrate < 0.1%
- 40. Cobalt(II) sulphate < 0.1%

41. Acids generated from chromium trioxide and their oligomers. Names of the acids and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid. <0.1%

- 42. Chromium trioxide < 0.1%
- 43. 2-Ethoxyethanol < 0.1%
- 44. 2-Methoxyethanol < 0.1%
- 45. 2-Ethoxyethyl acetate < 0.1%
- 46. Strontium chromate < 0.1%
- 47. 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters ${<}0.1\%$
- 48. Hydrazine < 0.1%
- 49. 1-Methyl-2-pyrrolidone < 0.1%
- 50. 1,2,3-Trichloropropane < 0.1%
- 51. 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich<0.1%
- 52. 2,2'-dichloro-4,4'-methylenedianiline < 0.1%
- 53. Lead styphnate < 0.1%
- 54. Dichromium tris(chromate) < 0.1%
- 55. Phenolphthalein < 0.1%
- 56. Lead diazide, Lead azide < 0.1%
- 57. 4-(1,1,3,3-tetramethylbutyl)phenol < 0.1%
- 58. Bis(2-methoxyethyl) ether < 0.1%
- 59. Formaldehyde, oligomeric reaction products with aniline < 0.1%
- 60. Pentazinc chromate octahydroxide < 0.1%
- 61. 1,2-dichloroethane < 0.1%
- 62. Trilead diarsenate < 0.1%
- 63. 2-Methoxyaniline; o-Anisidine < 0.1%
- 64. Arsenic acid < 0.1%
- 65. N,N-dimethylacetamide < 0.1%
- 66. Lead dipicrate < 0.1%
- 67. Potassium hydroxyoctaoxodizincatedichromate < 0.1%
- 68. Aluminosilicate Refractory Ceramic Fibres < 0.1%

are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No

1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium

and silicon are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (μ m) c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight

69. Bis(2-methoxyethyl) phthalate < 0.1%

70. Calcium arsenate < 0.1%

71. Zirconia Aluminosilicate Refractory Ceramic Fibres < 0.1%

are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight

72. 4,4'-bis(dimethylamino)benzophenone (Michler's ketone) < 0.1%

73. 1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC) < 0.1%

74. [4-[[4-anilino-1-naphthyl]][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5- dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with $\geq 0.1\%$ of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] < 0.1%

75. 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) < 0.1%

76. [4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3) [with $\ge 0.1\%$ of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] < 0.1%

77. Formamide < 0.1%

78. Lead(II) bis(methanesulfonate) < 0.1%

79. 4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [with $\ge 0.1\%$ of Michler's ketone (ECNo. 202-027-5) or Michler's base (EC No. 202-959-2)]<0.1%

80. 1,2-bis(2-methoxy)ethane (TEGDME; triglyme) < 0.1%

81. Diboron trioxide < 0.1%

 $82.\ 1,3,5-tris[(2S\ and\ 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione(\beta-TGIC)<0.1\%$

83. N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) < 0.1%

84. α, α -Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with $\geq 0.1\%$ of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] < 0.1%

85. Pyrochlore, antimony lead yellow < 0.1%

86. 6-methoxy-m-toluidine (p-cresidine) (2-Methoxy-5-methylaniline) <0.1%

87. Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride,

Hexa hydro-1-methyl phthalic anhydride, Hexa hydro-3-methyl phthalic anhydride < 0.1%

88. Cyclohexane-1,2-dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA) < 0.1%

89. Dibutyltin dichloride (DBTC) <0.1%

90. Lead bis(tetrafluoroborate) <0.1%

91. Lead dinitrate < 0.1%

92. Silicic acid, lead salt < 0.1%

93. 4-Aminoazobenzene < 0.1%

94. Lead titanium zirconium oxide < 0.1%

95. Lead monoxide (lead oxide) < 0.1%**96.** o-Toluidine < 0.1% 97. 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine<0.1% 98. Silicic acid (H2Si2O5), barium salt (1:1), lead-doped < 0.1% [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008] 99. Trilead bis(carbonate)dihydroxide < 0.1% 100. Furan < 0.1% 101. N,N-dimethylformamide < 0.1% 102. 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated < 0.1% [covering well-defined substances and UVCB substances, polymers and homologues] 103. 4-Nonylphenol, branched and linear < 0.1% [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a *combination thereof*] 104. 4,4'-methylenedi-o-toluidine < 0.1% 105. Diethyl sulphate < 0.1% **106.** Dimethyl sulphate < 0.1% 107. Lead oxide sulfate < 0.1% **108.** Lead titanium trioxide < 0.1% 109. Acetic acid, lead salt, basic < 0.1% 110. [Phthalato(2-)]dioxotrilead < 0.1% 111. Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE) < 0.1% 112. N-methylacetamide < 0.1% 113. Dinoseb (6-sec-butyl-2,4-dinitrophenol) <0.1% 114.1,2-Diethoxyethane<0.1% 115. Tetralead trioxide sulphate < 0.1% 116. N-pentyl-isopentylphthalate < 0.1% 117. Dioxobis(stearato)trilead < 0.1% 118. Tetraethyllead < 0.1% 119. Pentalead tetraoxide sulphate < 0.1% 120. Pentacosafluorotridecanoic acid < 0.1% 121. Tricosafluorododecanoic acid < 0.1% 122. Henicosafluoroundecanoic acid < 0.1% 123. Heptacosafluorotetradecanoic acid < 0.1% 124. 1-bromopropane (n-propyl bromide) < 0.1% 125. Methoxyacetic acid < 0.1% 126. 4-methyl-m-phenylenediamine (toluene-2,4-diamine) < 0.1% 127. Methyloxirane (Propylene oxide) < 0.1% **128.** Trilead dioxide phosphonate < 0.1%

129. o-aminoazotoluene < 0.1%

130. 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear < 0.1%

131. 4,4'-oxydianiline and its salts < 0.1%

132. Orange lead (lead tetroxide) <0.1%

133. Biphenyl-4-ylamine < 0.1%

134. Diisopentylphthalate(DIPP) < 0.1%

135. Fatty acids, C16-18, lead salts < 0.1%

136. Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) <0.1%

137. Sulfurous acid, lead salt, dibasic < 0.1%

138. Lead cyanamidate < 0.1%

139. Cadmium <0.1%

140. Cadmium oxide <0.1%

141. Ammonium pentadecafluorooctanoate (APFO) <0.1%

142. Pentadecafluorooctanoic acid (PFOA) <0.1%

143. Dipentyl phthalate (DPP) <0.1%

144. 4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof] <0.1%

145. Cadmium sulphide<0.1%

146. Dihexyl phthalate<0.1%

147. Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) <0.1%

148. Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]

-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)<0.1%

149. Imidazolidine-2-thione; (2-imidazoline-2-thiol) <0.1%

150. Lead di(acetate) <0.1%

151. Trixylyl phosphate<0.1%

152. 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear<0.1%

153. Cadmium chloride<0.1%

154. Sodium peroxometaborate<0.1%

155. Sodium perborate; perboric acid, sodium salt<0.1%

156. Bis(2-ethylhexyl) phthalate (DEHP) <0.1%

157. Cadmium fluoride<0.1%

158. Cadmium sulphate<0.1%

159. Dibutyl phthalate (DBP) <0.1%

160. Diisobutyl phthalate (DIBP) <0.1%

161. Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and

2-ethylhexyl

10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) <0.1%

162. 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and

hexyl and octyl diesters with $\geq 0.3\%$ of dihexyl phthalate<0.1%

163. 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1],

5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]<0.1%

- 164. Nitrobenzene
- 165. 2,4-di-tert-butyl-6-(5- chlorobenzotriazol-2-yl)phenol (UV-327)
- 166. 2-(2H-benzotriazol-2-yl)-4-(tert- butyl)-6-(sec-butyl)phenol (UV- 350)
- 167. 1,3-propanesultone
- 168. Perfluorononan-1-oic-acid and its sodium and ammonium salts
- 169. Benzo[def]chrysene
- 170. p-(1,1-dimethylpropyl)phenol
- 171. Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts
- 172. 4-heptylphenol, branched and linear
- 173. 4,4'-isopropylidenediphenol
- 174. Perfluorohexane-1-sulphonic acid and its salts
- 175. Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) with ≥0.1% w/w 4-heptylphenol, branched and linear (4-HPbl)
- 176. Chrysene
- 177. Cadmium nitrate
- 178. Cadmium hydroxide
- 179. Cadmium carbonate
- 180. Benz[a]anthracene
- 181. 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"тм)
- 182. Terphenyl, hydrogenated
- 183. Octamethylcyclotetrasiloxane
- 184. Lead
- 185. Ethylenediamine
- 186. Dodecamethylcyclohexasiloxane
- **187. Disodium octaborate**
- **188. Dicyclohexyl phthalate**
- 189. Decamethylcyclopentasiloxane

190. Benzo[ghi]perylene

- 191. Benzene-1,2,4-tricarboxylic acid 1,2 anhydride
- 192. Pyrene
- 193. Phenanthrene
- 194. Fluoranthene
- 195. Benzo[k]fluoranthene
- 196. 2,2-bis(4'-hydroxyphenyl)-4-methylpentane
- 197. 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one 3-benzylidene camphor; 3-BC
- 198. 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides
- **199. 2-methoxyethyl acetate**
- 200. 4-tert-butylphenol
- 201. Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)
- 202. 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone
- 203. 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one
- 204. Diisohexyl phthalate
- 205. Perfluorobutane sulfonic acid (PFBS) and its salts
- 206. 1-vinylimidazole
- 207. 2-methylimidazole
- 208. Butyl 4-hydroxybenzoate
- 209. Dibutylbis(pentane-2,4-dionato-O,O')tin
- 210. Bis(2-(2-methoxyethoxy)ethyl)ether
- 211. Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety
- 212. 1,4-dioxane
- 213. 2,2-bis(bromomethyl)propane-1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)
- 214. 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers
- 215. 4,4'-(1-methylpropylidene)bisphenol
- 216. glutaral

- 217. Medium-chain chlorinated paraffins (MCCP) UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17
- 218. Orthoboric acid, sodium salt (group)
- **219.** Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)
- 220. (±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)
- 221. 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol
- 222. S-(tricyclo(5.2.1.0'2,6)deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate
- 223. tris(2-methoxyethoxy) vinylsilane

224. N-(hydroxymethyl)acrylamide

Charles Bicloford

*Signature: T*itle: Date:

Ouality Assurance 2022-07-11

37 Industrial Drive, Exeter, NH 03833

P-603.778.2300 F-603.778.9797

Page **8** of **9**

sales@wallindustries.com www.wallindustries.com